

## APPENDIX C

Hazard	Potential severity and	Who is at risk	Control Measures	Additional	Residual risk
	risk			measures	

Standing risk assessments prepared on behalf of the Committee of Shearwater sailing Club These assessments will be subject to ongoing review and amendment as required.

All members please be advised - S.S.C. is run by the members for the benefit of the members. We all have a responsibility for our own health and safety and the safety of others, particularly our junior members. It is the member's responsibility to please follow the advice and guidance laid down in this risk assessment and not to engage in any activity that puts you or others at risk of injury.

Boat being moved or lifted - striking or falling on to someone or mover suffering back injury	Bodily injury / back strains Low - medium	Moving - All people in area Lifter	Vigilance to be exercised when maneuvering boats in dinghy park etc. If lifting ensure sufficient assistance	Lifters ensure good manual handling practice – back straight, knees bent etc.	Low
Mast falling and striking someone during stepping	Head injury / cuts / bruising Low but medium with less experienced people and helpers	Club members / visitors and members of the public	Mast controlled preferably by two or more people. Before undertaking ensure potential fall areas clear unauthorized people not to enter area of lift.		Low



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Slips, trips and falls in dinghy park area	Broken bones / bruising Low	Club members / visitors and members of the public	Clearly defined dinghy berthing areas mainly adjacent to rail fencing. No protruding ground hazards allowed.	If a protruding hazard is in place when a boat is temporarily removed from its berth (e.g. on the water) this must be clearly marked. All potential hazards removed in winter months	Low
Slips, trips and falls from jetty.	Drowning – Low Other bodily injury - Medium	Club members / visitors and members of the public	Gate fitted across jetty entrance. Signage re private jetty in place. Personal buoyancy to be worn at all times on jetty. Some non- slip surfacing installed	Ensure jetty swept / washed before use if slipping hazard e.g. bird faces present	Low



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Slips, trips and falls from boathouse jetty, slipway and areas adjacent to slipway	Drowning – Low Other bodily injury - medium	Club members / visitors and members of the public	No protruding items (mooring rings etc.) surfaces to be maintained in a reasonable condition. Club members to wear personal buoyancy when about the watersides.	Remove any tripping hazard seen or report to club committee member if appropriate.	Low
Moving traffic on roadway between clubhouse / dinghy park and the rigging / slipway areas – being struck by a passing vehicle	Death / bodily injury Medium	Club members / visitors, particularly younger children	Parents / appropriate adults to closely supervise children at all times. All members to take care when crossing the roadway. Speed bumps installed on roadway to slow traffic.	Stop, look, listen!!!	Low



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Slips, trips and falls in the clubhouse, particularly the	Broken bones / bruising	Club members / visitors / cleaner	Floors to be mopped if excessively wet. Children to be	Any spillages to be mopped up.	Low
changing areas when to floor is wet	Low		supervised by parents or responsible adult Any tripping hazards to be removed. Report any structural or other matter that cannot be immediately rectified to Commodore or committee member. Ensure lighting turned on when required.	<ul> <li>Mop and bucket to be kept accessible to members.</li> <li>Tripping hazards to be kept clear of walking routes.</li> <li>No storage in walking routes.</li> <li>No trailing ropes / electrical leads / cables.</li> </ul>	



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Electricity	Death / electric	Club members /	Fixed installation	Electrical inspections	Low
-	shocks and burns	visitors / cleaner	correctly installed by	by qualified	
	from faulty		qualified electrician.	electrician to be	
	equipment or		-	undertaken on a	
	installation.		All repairs by a	regular basis.	
			qualified electrician.		
	Low		-	Avoid contact with	
			Portable equipment to	electrical appliances	
			be checked for any	when hands or body	
			signs of damage	are wet.	
			before use. Any		
			considered unsafe	Main switch and	
			must be marked and	circuit breakers	
			taken out of use.	located above	
				doorway inside male	
				changing area -	
				switch off power and	
				advise Commodore /	
				committee member if	
				any doubt as to	
				electrical safety arises	



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Hazardous substances	Skin problems e.g. dermatitis, eye damage from direct contact with chemicals. Vapor may cause breathing problems. Low	Club members / visitors cleaning up kitchen / spillages etc.	Mops, brushes and strong rubber gloves provided. Any cleaning products marked 'irritant' to be replaced with milder alternative where possible. Cleaning products stored securely at high level.	Household products available in kitchen for general club member use e.g. washing up liquid etc. usual domestic considerations apply	Low
Manual handling	May suffer back pain / damage if try to lift objects that are too heavy or awkward. (See also 'Boat being moved' ante.) Medium	Club members	No heavy equipment Is in regular use requiring trolleys etc. Tables / chairs to be lifted with care and with appropriate help as required.	Lifters to ensure good manual handling practice – back straight, knees bent etc.	Low



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Stored equipment	Injuries from collapsing stacks and items stored above head height (e.g. club boat parts) Low	Club members / visitors	Chairs must be stored carefully so they do not collapse. Only lightweight items such as sails / tillers etc. to be stored at or above head height.		Low
Heavy raising counter top between galley and main clubhouse area falling on to hands / head etc.	Broken bones and cuts. Low	Galley users.	Secure self-locking safety retaining latch is fitted. Counter top only to be lowered / used when events are taking place and designated members and helpers are using the galley area.	Appropriate care to be taken by all	Low



Hazard	Potential severity and	Who is at risk	<b>Control Measures</b>	Additional	Residual risk
	risk			measures	

Below floor storage areas. Hatches falling on to persons, injuries from falling in to open hatchway or from entering to retrieve stored objects.	injuries Low	Club members	Hatches to be left closed when unattended. Hatches to be fully opened before retrieving stored items. Regularly used items to be stored within easy reach. Deep storage items only out of easy reach.	Members are not to enter under floor storage unless necessary.	Low
Injury from swinging doors in windy conditions, particularly main entrance door to clubhouse.	Crushed / broken fingers etc. Low	Persons entering / exiting clubhouse.	Doors to be secured in open position by use of hooks.		Low



Hazard	Potential severity and	Who is at risk	Control Measures	Additional	Residual risk
	risk			measures	

Injury from broken glass or crockery.	Cuts.	Persons coming in to contact with the sharp item(s)	Repairs to broken glass only to be carried out by properly equipped and competent persons.	Broken glass and crockery to be disposed of in a safe manner – placed in secure box and if necessary marked before being transported for safe disposal. No 'sharps' in bin bags etc.	Low
Legionaries disease or other bacterial nfection from shower reads in male and remale shower areas.	Death / severe illness	Shower users	Shower heads and flexible pipes to be cleaned at least every 3 months.	Users to let initial water flow for a short time whilst avoiding breathing in emitted droplets. In practice this should occur whilst awaiting shower to warm up.	Low